

ORANGEVILLE TOWNSHIP BOARD MEETING

OCTOBER 4, 2022

Meeting called to order 7 pm. All board members present, Fire Chief Ribble, Commissioner Conner and no guests.

Pledge of Allegiance

Motion Trustee Ribble to approve September 6, 2022 board meeting minutes. Support Treasurer Ritchie, all ayes, motion carried.

Treasurer's Report:

September receipts \$21,638.39

September disbursements \$15,901.78

September balance \$1,127,721.02

Report on file

Motion Trustee Kraai to pay \$9,988.40 and any other bills forthcoming in the month of October. Support Trustee Ribble, all ayes, motion carried.

Correspondence:

Update on increased fees with Waste Management & Plummers Disposal

Bernie's reported trash in recycle bins

Election Security Grant would reimburse for new laptop for elections

Report on file

Motion Trustee Kraai to purchase new election laptop. Support Trustee Ribble, all ayes, motion carried.

Fire Dept Report:

4 fires, 13 medical, 1 PI, 1 PD

Chief Ribble reported four fire fighters began fire academy training

Delivery of new fire truck set back to April 28, 2023

Report on file

Commissioner's Report:

County Board approvals and appointments

Commissioner Conner reported on committee and activities she has attended.

Report on file

Public Comment: None

New Business:

Clerk Risner to obtain bids on removal of large oak tree at Brown Cemetery

Supervisor Rook to contact BCRC for bid on crack seal and chip sealing parking lot. Monies will come from ARPA funds.

Old Business:

Trustee Ribble to contact Consumers Energy and request they send letters for natural gas routes out to both 9 Mile Rd., and Lewis Rd. If unable to send out for both routes, prioritize 9 Mile Rd. route letters.

Trustee Ribble still working out details on propane contract before signing.

ARPA Project Updates:

Cemetery well; one bid received, Supervisor Rook to contact another company for another bid.

Board Member Comments: None

Motion to adjourn, meeting adjourned 8:10 pm

Unapproved minutes

Mel Risner/Clerk